



SchoolPHONES.com

*Hygiene, Durability, Performance & Fair Price....*

# Back to School 2015

1997



2004



2013



*A history of value and innovation since 1997*

*Headphones, Voice Amplification, Sound Field, Assistive Listening*

## K-6

- Primary/Elementary lightweight headphone
- Non-allergic cushions for all day wearing
- Robust headband design
- Fixed 3.8mm headphone cable
- 3.5mm stereo 45 degree plug
- Driver unit: 30mm Cobalt magnet
- Impedance: 32 ohm
- Frequency: 20-20K Hz



## Tech - 1

- Premium lightweight headphone
- Elementary-Post Secondary
- Non-allergic cushions for all day wearing
- Detachable 3.8mm x 1.2m audio cable
- 3.5mm 45 degree stereo plug
- Robust headband design
- Driver unit: 30mm Cobalt magnet
- Impedance: 32 ohm
- Frequency: 20-20K Hz



## Tech – 1m

- Premium lightweight ASH headset
- Non-allergic cushions for all day wearing
- 3.8 mm x 1.2m detachable cable
- 3.5mm 45 degree ASH 4 pole plug
- Robust headband design
- Driver unit: 30mm Samarium Cobalt magnet
- Impedance: 32 ohm
- Frequency: 20-20K Hz
- Conventional multi-media and USB audio adapted versions available



## Media 2t

- Premium lightweight ASH headset
- Non-allergic cushions for all day wearing
- 1.2m fiber reinforced cable
- 3.5mm gold plated ASH 4 pole plug
- Robust backwrap headband design
- Driver: 30mm Neodymium magnet
  - Impedance: 24 ohm@1KHz
  - Response: 25-17KHz (ref: -20dB@1KHz)
  - Sensitivity:  $93 \pm 4$ dB@1KHz
  - Max input power: 50mW
- Microphone: 6mm uni-directional
  - Sensitivity:  $-45 \pm 4$ dB@1KHz (0dB=1V/Pa)
  - Response: 50Hz-14KHz; S/N ratio 55dB
- Conventional multi-media and USB audio adapted versions available



## LAB Partner Jr.

- Primary/Elementary style headphone
- Leatherette cushion
- Driver unit: 40mm Cobalt magnet
- Frequency: 20-20K Hz
- Impedance: 32 ohm
- Detachable 3.8mm cable
- 3.5mm 3 pole plug



## **LAB Partner Jr-media**

- **Primary/Elementary style headset**
- **Leatherette cushion**
- **Driver unit: 40mm Cobalt magnet**
- **Frequency: 20-20K Hz**
- **Impedance: 32 ohm**
- **Detachable 3.8mm cable**
- **Detachable mic for ASH**
- **Microphone: 6mm Electret condenser mic**
- **Directivity: Omni-directional**
- **Conventional multi-media and USB audio adapted versions available.**







## Tech - 2

- Premium durable headphone
- Middle-post secondary with high school emphasis
- High definition from deep bass to treble
- Ideal for the stereo & portable players as well as lab settings
- Driver unit: 40mm Cobalt magnet
- Impedance: 32 ohm
- Frequency: 20-20K Hz
- Detachable 3.8mm x 1.4m cable
  
- Detachable cable w/dangle style microphone available Aug. 2015





Specialty adapters  
to enhance the utility of your headphones  
and stretch your budget dollars.



**Standard & unusual adapters/ cables**  
1<sup>st</sup> quality, wide variety, low or no minimums, fair price



## Sanitary Supplies:

- Replacement ear cushions
- Sanitary earpad covers
- Audiology grade sanitary wipes

